



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/451,289	11/30/1999	YOICHI YAMAGISHI	1232-4602	8836

7590 06/03/2004

MICHAEL M MURRAY
MORGAN & FINNEGAN L L P
345 PARK AVENUE
NEW YORK, NY 10154

EXAMINER

HANNETT, JAMES M

ART UNIT	PAPER NUMBER
----------	--------------

2612

DATE MAILED: 06/03/2004

4

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/451,289

Applicant(s)

YAMAGISHI, YOICHI

Examiner

James M Hannett

Art Unit

2612

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 22 March 2004.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-24 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-24 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 11/30/1999 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. _____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☐ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

Art Unit: 2612

DETAILED ACTION***Response to Arguments***

Applicant's arguments filed 3/22/2004 have been fully considered but they are not persuasive. The applicant argues that Bakhle does not teach any capability of changing a second image sensing operation to a first image sensing operation or such change being performed in response to instruction of an instruction device.

The examiner disagrees with the applicant's interpretation of the prior art. The examiner views the first image sensing operation as being an operation in which the camera takes an image with the shutter open. The examiner views the second image sensing operation as the operation to capture a dark image. Bakhle teaches these two image capture methods on Column 3, Lines 54-56 and Column 4, lines 9-14. Bakhle teaches on Column 6, Lines 21-65 that when a dark image is being captured during camera operation, the image is being captured because there is no reference dark image that corresponds the current video images being captured by the camera. After the dark reference image is captured, the processing circuitry of the camera opens the shutter and captures the next video frame. This is viewed by the examiner as a capability of changing a second image sensing operation to a first image sensing operation. This change is performed in response to an instruction to open the shutter sent from the instruction device which is viewed by the examiner as the control circuitry for the shutter.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

Art Unit: 2612

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

1: Claims 1-22 are rejected under 35 U.S.C. 102(e) as being anticipated by USPN 6,061,092

Bakhle et al.

2: As for Claim 1, Bakhle et al teaches an apparatus comprising:

(A) an image sensing device (36); (B) a signal processing device (42) for performing a first image sensing operation for making said image sensing device (36) perform an image sensing operation in an exposure state to obtain a sensed image signal; Column 4, Lines 1-25
This is viewed by the examiner as taking a picture with the camera with the shutter open.
Performing a second image sensing operation for making said image sensing device perform an image sensing operation in accordance with said first image sensing operation in a non-exposure state to obtain a sensed image signal; Column 5, Lines 23-26 and Column 1, Lines 41-45. Bakhle et al teaches that dark images are captured using the same exposure parameters as the captured image. These dark images are captured by obtaining an image when the shutter is closed. Bakhle et al teaches processing the sensed image signal obtained by the first image sensing operation by the sensed image signal obtained by the second image sensing operation, wherein said signal processing device changes method of the second image sensing operation to the first image sensing operation in response to the instruction of said instruction device; Column 4, Lines 1-25.
This is viewed by the examiner as the subtraction process of subtracting the dark image pixel values from the sensed image pixel values. (C) an instruction device for instructing to execute a predetermined plurality times of image sensing operations with different image sensing times of

Art Unit: 2612

said first image sensing operation; Column 3, Lines 54-57 teaches that the camera captures several dark images that have different exposure parameters. Column 1, Lines 41-43 teaches that the dark images are captured using the same exposure parameters as the scene image. Column 4, Lines 45-48 teaches that a dark image is used until the video camera operating characteristics change enough to require a new dark image. This is viewed by the examiner as a video camera taking a plurality of pictures and subtracting the noise from all the frames in a video stream using one dark image and changing the dark image used when the operating parameters including the exposure time are changed. The examiner views the first image sensing operation as being an operation in which the camera takes an image with the shutter open. The examiner views the second image sensing operation as the operation to capture a dark image. Bakhle teaches these two image capture methods on Column 3, Lines 54-56 and Column 4, lines 9-14. Bakhle teaches on Column 6, Lines 21-65 that when a dark image is being captured during camera operation, the image is being captured because there is no reference dark image that corresponds the current video images being captured by the camera. After the dark reference image is captured, the processing circuitry of the camera opens the shutter and captures the next video frame. This is viewed by the examiner as a capability of changing a second image sensing operation to a first image sensing operation. This change is performed in response to an instruction to open the shutter sent from the instruction device which is viewed by the examiner as the control circuitry for the shutter.

3: In Regards to Claim 2, Bakhle et al teaches on Column 1, Lines 41-46 and Column 6, Lines 13-16 wherein said signal processing device (42) selects an image sensing time of the first sensing operation of a predetermined one of the plurality times of image sensing operations in

Art Unit: 2612

response to the instruction of said instruction device, and makes the second image sensing operation for the plurality times of image sensing operations in accordance with the selected image sensing time. Bakhle et al teaches that the camera can capture images with a plurality of exposure settings. Bakhle et al further teaches that the dark images that are subtracted from the acquired image signal are captured using the same exposure conditions.

4: As for Claim 3, Bakhle et al teaches on Column 7, Lines 14-18 A storage device for storing the sensed image signal of the second image sensing operation (Dark image) according to the selected image sensing time.

5: In Regards to Claim 4, Bakhle et al teaches on Column 4, Lines 63-67 and Column 5, Lines 1-22 wherein said signal processing device (42) processes the sensed image signal obtained by the first image sensing operation on the basis of the sensed image signal stored in said storage device in image sensing operations other than the predetermined one of the plurality times of image sensing operations.

6: As for Claim 5, Bakhle et al teaches on Column 1, Lines 41-46 and Column 6, Lines 13-16 wherein said signal processing device (42) selects a longest image sensing time (exposure time) of the first image sensing operation of the plurality times of image sensing operations in response to the instruction of said instruction device, and makes the second image sensing operation for the plurality times of image sensing operations in accordance with the selected image sensing time. Bakhle et al teaches that the camera can capture images with a plurality of exposure settings. Bakhle et al further teaches that the dark images that are subtracted from the acquired image signal are captured using the same exposure conditions. Therefore, it is inherent

Art Unit: 2612

that the longest exposure time setting will have the same exposure characteristics for both the captured image and captured dark image.

7: In Regards to Claim 6, Bakhle et al teaches on Column 7, Lines 14-18 A storage device for storing the sensed image signal of the second image sensing operation (dark image) according to the selected image sensing time.

8: As for Claim 7, Bakhle et al teaches on Column 4, Lines 63-67 and Column 5, Lines 1-22 wherein said signal processing device (42) processes the sensed image signal obtained by the first image sensing operation (obtained sensed image) on the basis of the sensed image signal stored in said storage device (dark image) in image sensing operations other than the longest image sensing time of the first image sensing operation of the plurality times of image sensing operations. Bakhle et al teaches that the obtained image signal is subtracted from a dark image that has the same corresponding exposure parameters. Bakhle et al teaches that the dark images are captured in exposures performed after an image is captured or at an initial setup and not during an actual exposure operation to capture an image.

9: In Regards to Claim 8, Bakhle et al teaches on Column 1, Lines 41-46 and Column 6, Lines 13-16 wherein said signal processing device designates an image sensing time of the first image sensing operation of a predetermined image sensing operation in response to the instruction of said instruction device, and makes the second image sensing operation for the plurality times of image sensing operations in accordance with the designated image sensing time. Bakhle et al teaches that the camera can capture images with a plurality of exposure settings. Bakhle et al further teaches that the dark images that are subtracted from the acquired image signal are captured using the same exposure conditions.

Art Unit: 2612

10: As for Claim 9, Bakhle et al teaches on Column 7, Lines 14-18 A storage device for storing the sensed image signal of the second image sensing operation (dark image) according to the selected image sensing time.

11: In Regards to Claim 10, Bakhle et al teaches on Column 4, Lines 63-67 and Column 5, Lines 1-22 wherein said signal processing device (42) processes the sensed image signal obtained by the first image sensing operation on the basis of the sensed image signal stored in said storage device in image sensing operations other than the predetermined one of the plurality of image sensing operations (dark image).

12: As for Claim 11, Bakhle et al teaches on Column 7, Lines 14-18 wherein said apparatus includes a camera.

13: In Regards to Claim 12, Bakhle et al an apparatus comprising:

(A) an image sensing device (36);(B) a signal processing device (42) for performing a first image sensing operation for making said image sensing device (36) perform an image sensing operation in an exposure state to obtain a sensed image signal; Column 4, Lines 1-25 This is viewed by the examiner as taking a picture with the camera with the shutter open. Performing a second image sensing operation for making said image sensing device perform an image sensing operation in accordance with said first image sensing operation in a non-exposure state to obtain a sensed image signal; Column 5, Lines 23-26 and Column 1, Lines 41-45. Bakhle et al teaches that dark images are captured using the same exposure parameters as the captured image. These dark images are captured by obtaining an image when the shutter is closed. Bakhle et al teaches processing the sensed image signal obtained by the first image sensing operation by the sensed image signal obtained by the second image sensing operation, wherein said signal

Art Unit: 2612

processing device inhibiting the second image sensing operation from being made for each image sensing operation in response to the instruction of said instruction device; Column 4, Lines 1-25. This is viewed by the examiner as the subtraction process of subtracting the dark image pixel values from the sensed image pixel values. (C) an instruction device for instructing to execute a predetermined plurality times of image sensing operations with different image sensing times of said first image sensing operation; Column 3, Lines 54-57 teaches that the camera captures several dark images that have different exposure parameters. Column 1, Lines 41-43 teaches that the dark images are captured using the same exposure parameters as the scene image. Column 4, Lines 45-48 teaches that a dark image is used until the video camera operating characteristics change enough to require a new dark image. This is viewed by the examiner as a video camera taking a plurality of pictures and subtracting the noise from all the frames in a video stream using one dark image and changing the dark image used when the operating parameters including the exposure time are changed. The examiner views the first image sensing operation as being an operation in which the camera takes an image with the shutter open. The examiner views the second image sensing operation as the operation to capture a dark image. Bakhle teaches these two image capture methods on Column 3, Lines 54-56 and Column 4, lines 9-14. Bakhle teaches on Column 6, Lines 21-65 that when a dark image is being captured during camera operation, the image is being captured because there is no reference dark image that corresponds the current video images being captured by the camera. After the dark reference image is captured, the processing circuitry of the camera opens the shutter and captures the next video frame. This is viewed by the examiner as a capability of changing a second image sensing operation to a first image sensing operation. This change is performed in response to an

Art Unit: 2612

instruction to open the shutter sent from the instruction device which is viewed by the examiner as the control circuitry for the shutter.

14: As for Claim 13, Bakhle et al teaches on Column 1, Lines 41-46 and Column 6, Liens 13-16 wherein said signal processing device (42) selects an image sensing time of the first sensing operation of a predetermined one of the plurality times of image sensing operations in response to the instruction of said instruction device, and makes the second image sensing operation for the plurality times of image sensing operations in accordance with the selected image sensing time. Bakhle et al teaches that the camera can capture images with a plurality of exposure settings. Bakhle et al further teaches that the dark images that are subtracted from the acquired image signal are captured using the same exposure conditions.

15: In Regards to Claim 14, Bakhle et al teaches on Column 7, Lines 14-18 A storage device for storing the sensed image signal of the second image sensing operation (Dark image) according to the selected image sensing time.

16: As for Claim 15, Bakhle et al teaches on Column 4, Lines 63-67 and Column 5, Lines 1-22 wherein said signal processing device (42) processes the sensed image signal obtained by the first image sensing operation on the basis of the sensed image signal stored in said storage device in image sensing operations other than the predetermined one of the plurality times of image sensing operations.

17: In Regards to Claim 16, Bakhle et al teaches on Column 1, Lines 41-46 and Column 6, Liens 13-16 wherein said signal processing device (42) selects a longest image sensing time (exposure time) of the first image sensing operation of the plurality times of image sensing operations in response to the instruction of said instruction device, and makes the second image

Art Unit: 2612

sensing operation for the plurality times of image sensing operations in accordance with the selected image sensing time. Bakhle et al teaches that the camera can capture images with a plurality of exposure settings. Bakhle et al further teaches that the dark images that are subtracted from the acquired image signal are captured using the same exposure conditions. Therefore, it is inherent that the longest exposure time setting will have the same exposure characteristics for both the captured image and captured dark image.

18: As for Claim 17, Bakhle et al teaches on Column 7, Lines 14-18 A storage device for storing the sensed image signal of the second image sensing operation (dark image) according to the selected image sensing time.

19: In Regards to Claim 18, Bakhle et al teaches on Column 4, Lines 63-67 and Column 5, Lines 1-22 wherein said signal processing device (42) processes the sensed image signal obtained by the first image sensing operation (obtained sensed image) on the basis of the sensed image signal stored in said storage device (dark image) in image sensing operations other than the longest image sensing time of the first image sensing operation of the plurality times of image sensing operations. Bakhle et al teaches that the obtained image signal is subtracted from a dark image that has the same corresponding exposure parameters. Bakhle et al teaches that the dark images are captured in exposures performed after an image is captured or at an initial setup and not during an actual exposure operation to capture an image.

20: As for Claim 19, Bakhle et al teaches on Column 1, Lines 41-46 and Column 6, Lines 13-16 wherein said signal processing device designates an image sensing time of the first image sensing operation of a predetermined image sensing operation in response to the instruction of said instruction device, and makes the second image sensing operation for the plurality times of

Art Unit: 2612

image sensing operations in accordance with the designated image sensing time. Bakhle et al teaches that the camera can capture images with a plurality of exposure settings. Bakhle et al further teaches that the dark images that are subtracted from the acquired image signal are captured using the same exposure conditions.

21: In Regards to Claim 20, Bakhle et al teaches on Column 7, Lines 14-18 A storage device for storing the sensed image signal of the second image sensing operation (dark image) according to the selected image sensing time.

22: As for Claim 21, Bakhle et al teaches on Column 4, Lines 63-67 and Column 5, Lines 1-22 wherein said signal processing device (42) processes the sensed image signal obtained by the first image sensing operation on the basis of the sensed image signal stored in said storage device in image sensing operations other than the predetermined one of the plurality of image sensing operations (dark image).

23: In Regards to Claim 22, Bakhle et al teaches on Column 7, Lines 14-18 wherein said apparatus includes a camera.

24: As for Claim 23, Bakhle teaches on Column 6, Lines 21-65 that when a dark image is being captured during camera operation, the image is being captured because there is no reference dark image that corresponds the current video images being captured by the camera. After the dark reference image is captured, the processing circuitry of the camera opens the shutter and captures the next video frame. This is viewed by the examiner as a capability of changing a second image sensing operation to a first image sensing operation. This change is performed in response to an instruction to open the shutter sent from the instruction device which is viewed by the examiner as the control circuitry for the shutter. The instruction command opens

Art Unit: 2612

the shutter for a predetermined amount of time to capture the next video frame. The particular operation mode from a plurality of first operation modes is viewed by the examiner as the exposure setting of the camera. The exposure setting stays the same over a series of video frames.

25: In regards to Claim 24, Bakhle teaches on Column 6, Lines 21-65 that when a dark image is being captured during camera operation, the image is being captured because there is no reference dark image that corresponds the current video images being captured by the camera. After the dark reference image is captured, the processing circuitry of the camera opens the shutter and captures the next video frame. This is viewed by the examiner as a capability of changing a second image sensing operation to a first image sensing operation. This change is performed in response to an instruction to open the shutter sent from the instruction device which is viewed by the examiner as the control circuitry for the shutter. The instruction command opens the shutter for a predetermined amount of time to capture the next video frame. The particular operation mode from a plurality of first operation modes is viewed by the examiner as the exposure setting of the camera. The exposure setting stays the same over a series of video frames.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after

Art Unit: 2612

the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.


Any inquiry concerning this communication or earlier communications from the examiner should be directed to James M Hannett whose telephone number is 703-305-7880. The examiner can normally be reached on 8:00 am to 5:00 pm M-F.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Wendy Garber can be reached on 703-305-4929. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

James M. Hannett
Examiner
Art Unit 2612

JMH
May 25, 2004


WENDY R. GARBER
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 2600